

A70

SCALE
CHECKWEIGHING
PIECE-COUNTING



WITH TOUCH SCREEN




A70^{TOUCH}



Semaphore
(optional)

Touch screen



Touch screen of 7"

Scales with heavy-duty TFT touch screen.
Wide angle screen surface with anti-glare treatment for perfect viewing. 800x480 resolution with backlight.



Multiple customisable functions and modes

Highly configurable to suit all operational and language requirements.

It has multiple functions that can be activated and/or customised:


- General limits or limits by product, with configurable acoustic warning.
- Full-screen traffic light emulation*.
- Determination of percentage weight

Record of weights associated with products, customers and other free codes.



Data download via USB





Features:

- TFT touch screen of 7" (resolution 800x480).
- Stainless steel pan and ABS housing.
- Units:
 - kg, g (M)
 - kg, g, lb (M)
- Internal rechargeable battery 6V/4Ah. It lasts 30 hours at intensive use.
- Wall Feed 12Vdc AC/DC 100-240Vac 50/60Hz.
- Working temperature:
 - Mono-range 0°C a +40°C
 - Multi-range +5°C a +35°C
- 2 RS232 output, data format for PC and printer.
- 2 USB port.
- 8 GB of memory and 1 GB RAM.
- External calibration.
- Multifunctional screen.
- Limits with configurable acoustic signal.
- More than 9999 PLU's in memory with alphabetic searcher
- More than 1000 possible users. It includes different levels of roles and users.
- Export of files to PC in excel format (*.csv) with no necessity of additional software, through USB key.
- Labels and tickets with eligible formats (optional printer).

Functions:

- Function of target weighing
- Pretare
- Accumulation: manual, during the load and the unload process
- Limits with acoustic signal and configurable viewing
- Gross/Net
- Zero
- Checkweigher
- Piece counting
- Percentages
- Option to group PLUs in folders

Great connectivity:

- RS232 and USB outputs as standard to allow various different peripheral devices to be connected to optimise and increase production.
- Optional peripheral devices:
 - Barcode reader
 - Signal
 - Keypad
 - Mouse
 - PC data transmission
 - Printers / label printers



A70 codes

Codes #	Capacity (kg)	Readout (g)	n. Divisions	Pan dimensions (mm)	Scale dimensions (mm)
261288 M	3/6	0,1/0,2	30.000	305 x 230	330 x 378 x 130
261290 M	6/15	0,2/0,5	30.000	305 x 230	330 x 378 x 130
261292 M	15/30	0,5/1	30.000	305 x 230	330 x 378 x 130
261295 M	6	0,2	30.000	305 x 230	330 x 378 x 130
261296 M	15	0,5	30.000	305 x 230	330 x 378 x 130
261297 M	30	1	30.000	305 x 230	330 x 378 x 130
261309 M	3	0,05	60.000	305 x 230	330 x 378 x 130
261310 M	6	0,1	60.000	305 x 230	330 x 378 x 130
261311 M	15	0,2	60.000	305 x 230	330 x 378 x 130
261312 M	30	0,5	60.000	305 x 230	330 x 378 x 130
261289 M	3/6	1/2	3.000	305 x 230	330 x 378 x 130
261291 M	6/15	2/5	3.000	305 x 230	330 x 378 x 130
261293 M	15/30	5/10	3.000	305 x 230	330 x 378 x 130

Accessories

Code #	Description
910049	Bar code scanner
910050	Semaphore (It can't be used in legal metrology)
580239	USB keyboard
910034	IMP27 Printer
630056	IMP27.4 Printer
910036	IMP37 Labeller



More information in our QR code:
<https://www.baxtran.com/en/top-loading-scales/a70.html>

