


OPTIMA Knight

INDUSTRIAL SCALES



LED indicator with internal battery and multiple functions for all sectors

Optima Knight T



Bench scale


Industrial scale with column with functions of checkweighing, piece counting, tare and zero adjustment.

PLATFORM FEATURES:


- Platform of tubular structure in painted steel, with stainless steel pan and stainless steel column.
- Aluminium load cell with IP65 protection.
- Column of 649 mm with a base of attachment in painted steel.
- 4 adjustable feet in height, with an increase of up to 13 mm.

INDICATOR FEATURES:

- Weight tare indicator.
- ABS housing. IP54 protection.
- Waterproof keyboard with 6 function keys.
- LED display with 6 digits of 40 mm.
- Power supply AC 230VAC 50Hz.
- Rechargeable battery 6V/4Ah.
- 40-hour rechargeable internal battery.
- Units: g/kg
- Standby mode (programmable: from 1 to 99 minutes).
- RS232 output to computer.



Code #	Pan dimensions (mm)	Capacity (kg)	Readout (g)	Packing dimensions (mm)	Packing weight (kg)	Certifications		Dimensions (mm)			
						ENAC Code #	c	d	e	h	
260803	400x300	30	5	800 x 430 x 190	8.5	900001	56	115	520	840	
260804	400x300	60	10	800 x 430 x 190	8.5	900001	56	115	520	840	
260805	400x300	150	20	800 x 430 x 190	8.5	900002	56	115	520	840	
260806	500x400	30	5	850 x 450 x 170	12	900001	56	115	620	840	
260807	500x400	60	10	850 x 450 x 170	12	900001	56	115	620	840	
260808	500x400	150	20	850 x 450 x 170	12	900002	56	115	620	840	



Optima Knight

Bench scale


Industrial scale without column with functions of checkweighing, piece counting, tare and zero adjustment.

PLATFORM FEATURES:

- Platform of tubular structure in painted steel, with stainless steel pan.
- Aluminium load cell with IP65 protection.
- 4 adjustable feet in height, with an increase of up to 13 mm.
- Cable length platform-indicator: 1200 mm.

INDICATOR FEATURES:


- Weight tare indicator.
- ABS housing. IP54 protection.
- Waterproof keyboard with 6 function keys.
- LED display with 6 digits of 40 mm.
- Power supply AC 230VAC 50Hz.
- Rechargeable battery 6V/4Ah.
- 40-hour rechargeable internal battery.
- Units: g/kg
- Standby mode (programmable: from 1 to 99 minutes).
- RS232 output to computer.



Indicator support



Power supply



Indicator - platform connection

Code #	Pan dimensions (mm)	Capacity (kg)	Readout (g)	Packing dimensions (mm)	Packing weight (kg)
260797	400x300	30	5	800 x 430 x 190	8
260798	400x300	60	10	800 x 430 x 190	8
260799	400x300	150	20	800 x 430 x 190	8
260800	500x400	30	5	850 x 450 x 170	10,5
260801	500x400	60	10	850 x 450 x 170	10,5
260802	500x400	150	20	850 x 450 x 170	10,5

Certifications		Dimensions (mm)	
ENAC	Code #	c	d
	900001	56	115
	900001	56	115
	900002	56	115
	900001	56	115
	900001	56	115
	900002	56	115

Discover +



Baxtran is a consolidated brand of Giropès. It is specialized in weighing scales and devices. We offer a wide range of weighing products to cater the necessities of different commercial and industrial sectors, even kitchen scales. Baxtran range includes devices like laboratory scales with high accuracy from 0,0001 g to other with high capacity like weighing hooks for cranes up to 30.000 kg or more.

